

RECEIVED
CENTRAL FAX CENTER

APR 06 2007

IN THE CLAIMSAmendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application. Where claims have been amended and/or canceled, such amendments and/or cancellations are done without prejudice and/or waiver and/or disclaimer to the claimed and/or disclosed subject matter, and the applicant and/or assignee reserves the right to claim this subject matter and/or other disclosed subject matter in a continuing application.

Listing of Claims:

What is claimed is:

1. (Currently Amended) A method of enhancing scan resolution, suitable for use in a scanner with an optical sensor, ~~the optical sensor having wherein a range that~~ a detecting cell ~~that can detect a range of the optical sensor can detect comprises~~ comprising a predetermined number of two or more original pixels with a predetermined number, and a result of one detection by the detecting cell comprises a scanned pixel, the method comprising:

scanning a smooth image region ~~to obtain a smooth image data~~, wherein the smooth image region comprises at least the predetermined number of original pixels, ~~with the predetermined number and wherein the smooth image region comprises a generally uniform brightness, to obtain a smooth image data~~; and

processing scanned images obtained by scanning a document according to the smooth image data.

2. (Original) The method according to claim 1, wherein the smooth image data is obtained prior to scanning the document.

3. (Currently Amended) The method according to claim 2, wherein processing the scanned images obtained by scanning the document further comprises:

obtaining a calculated smooth brightness of the original pixels corresponding to scanned pixels of the smooth image data; and

using a calculated brightness corresponding to the original pixels with the predetermined number minus one in the smooth image region as a standard to calculate the calculated brightness corresponding to original pixels of the document.

4. (Currently Amended) The method according to claim 3, wherein when there are original pixels with a pre-pixel number prior to the original pixels to be calculated, calculating the calculated brightness corresponding to the original pixels in the document comprises:

comparing the brightness of [[the]] a scanned pixel to the brightness of the original pixels with a number equal to the predetermined number minus one prior to the original pixels to be calculated when the pre-pixel number is greater than or equal to the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated; and

comparing the brightness of the scanned pixels to the brightness of calculated brightness corresponding to the original pixels prior to the original pixels to be calculated, and the smooth calculated brightness of the original pixels with the predetermined number minus the pre-pixel number and minus one when the pre-pixel is smaller than the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated.

5. (Previously Presented) The method according to claim 3, wherein calculating the calculated brightness corresponding to the original pixels in the document comprises performing a real time calculation while scanning the document.

6. (Previously Presented) The method according to claim 3, wherein calculating the calculated brightness corresponding to the original pixels in the document comprises calculating after scanning the document.

7. (Original) The method according to claim 1, wherein the smooth image data is obtained after scanning the document.

8. (Currently Amended) The method according to claim 7, wherein obtaining ~~[[the]]~~ a scanned pixel while scanning the document comprises:

obtaining a calculated smooth brightness of the corresponding original pixels from the scanned pixels of the smooth image data; and

using a corresponding calculated brightness of the original pixel with the predetermined number minus one in the smooth image region as a standard to calculate a calculated brightness corresponding to the original pixels of the document.

9. (Original) The method according to claim 8, wherein when there are original pixels with a pre-pixel number prior to the original pixels to be calculated, calculating the calculated brightness corresponding to the original pixels of the document comprises:

comparing the brightness of the scanned pixel to the brightness of the original pixels with a number equal to the predetermined number minus one prior to the original pixels to be calculated when the pre-pixel number is greater than or equal to the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated; and

comparing the brightness of the scanned pixels to the brightness of calculated brightness corresponding to the original pixels prior to the original pixels to be calculated, and the smooth calculated brightness of the original pixels with the predetermined number minus the pre-pixel number and minus one when the pre-pixel is smaller than the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated.

10. (Currently Amended) A method of enhancing scan resolution, suitable for use in a scanner with an optical sensor, ~~the optical sensor having wherein a range that~~ a detecting cell ~~that can detect a range of the optical sensor can detect comprises comprising a predetermined number of two or more original pixels with a predetermined number, and a result of one detection by the detecting cell comprises a scanned pixel,~~ the method comprising:

scanning a smooth image region ~~to obtain a smooth image data,~~ wherein the smooth image region comprises at least the predetermined number of original pixels with the predetermined number and comprises a generally uniform brightness, ~~to obtain a smooth image data;~~ and

processing scanned images obtained by scanning a document according to the smooth image data, wherein processing the scanned images comprises further comprising:

obtaining a calculated smooth brightness of the original pixels corresponding to scanned pixels of the smooth image data;[[,]] and

using a calculated brightness corresponding to the original pixels with the predetermined number minus one in the smooth image region as a standard to calculate the calculated brightness corresponding to original pixels of the document.

11. (Previously Presented) The method according to claim 10, wherein the smooth image data is obtained prior to scanning the document.

12. (Previously Presented) The method according to claim 10, wherein when there are original pixels with a pre-pixel number prior to the original pixels to be calculated, calculating the calculated brightness corresponding to the original pixels in the document comprises:

comparing the brightness of the scanned pixel to the brightness of the original pixels with a number equal to the predetermined number minus one prior to the original pixels to be calculated when the pre-pixel number is greater than or equal to the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated; and

comparing the brightness of the scanned pixels to the brightness of calculated brightness corresponding to the original pixels prior to the original pixels to be calculated, and the smooth calculated brightness of the original pixels with the predetermined number minus the pre-pixel number and minus one when the pre-pixel is smaller than the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated.

13. (Previously Presented) The method according to claim 10, wherein calculating the calculated brightness corresponding to the original pixels in the document comprises performing a real time calculation while scanning the document.

14. (Previously Presented) The method according to claim 10, wherein calculating the calculated brightness corresponding to the original pixels in the document comprises calculating after scanning the document.

15. (Previously Presented) The method according to claim 10, wherein the smooth image data is obtained after scanning the document.

16. (Currently Amended) A method comprising:
scanning a smooth image region with a generally uniform brightness;
obtaining a standard brightness from the smooth image region; and
determining a calculated brightness for at least a portion of a second image region based at least in part on the standard brightness.

17. (Previously Presented) The method according to claim 16, wherein the second image region comprises at least a portion with a non-uniform brightness.

18. (Previously Presented) The method according to claim 16, wherein the scanning of the smooth image region with a uniform brightness is performed prior to scanning the second image region.

19. (Previously Presented) The method according to claim 16, wherein the scanning of the smooth image region with a uniform brightness is performed after scanning the second image region.

20. (Currently Amended) ~~An article of manufacture, comprising: a~~ A storage medium
~~having comprising~~ one or more instructions stored thereon that, if executed, result in:
enhancing scan resolution in a scanner with an optical sensor ~~having wherein a range that~~
a detecting cell that can detect a range including of the optical sensor ~~can detect comprises a~~
predetermined number of two or more original pixels ~~with a predetermined number, and a result~~
~~of one detection by the detecting cell comprises a scanned pixel,~~ wherein enhancing scan resolution comprises:

scanning a smooth image region to obtain a smooth image data, wherein the smooth image region comprises at least the predetermined number of original pixels ~~with the~~

~~predetermined number~~ and comprises a generally uniform brightness, ~~to obtain a smooth image data~~; and

processing scanned images obtained by scanning a document according to the smooth image data, wherein processing the scanned images comprises further comprising:

obtaining a calculated smooth brightness of the original pixels corresponding to scanned pixels of the smooth image data; [[,]] and

using a calculated brightness corresponding to the original pixels with the predetermined number minus one in the smooth image region as a standard to calculate the calculated brightness corresponding to original pixels of the document.

21. (Previously Presented) The article of claim 20, wherein the smooth image data is obtained prior to scanning the document.

22. (Previously Presented) The article of claim 20, wherein when there are original pixels with a pre-pixel number prior to the original pixels to be calculated, the instructions, if executed, further result in calculating the calculated brightness corresponding to the original pixels in the document comprising:

comparing the brightness of the scanned pixel to the brightness of the original pixels with a number equal to the predetermined number minus one prior to the original pixels to be calculated when the pre-pixel number is greater than or equal to the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated; and

comparing the brightness of the scanned pixels to the brightness of calculated brightness corresponding to the original pixels prior to the original pixels to be calculated, and the smooth calculated brightness of the original pixels with the predetermined number minus the pre-pixel number and minus one when the pre-pixel is smaller than the predetermined number minus one, so as to obtain the calculated brightness of the original pixels to be calculated.

23. (Previously Presented) The article of claim 20, wherein calculating the calculated brightness corresponding to the original pixels in the document comprises performing a real time calculation while scanning the document.

24. (Previously Presented) The article of claim 20, wherein calculating the calculated brightness corresponding to the original pixels in the document comprises calculating after scanning the document.

25. (Previously Presented) The article of claim 20, wherein the smooth image data is obtained after scanning the document.

26. (Currently Amended) ~~An article of manufacture, comprising:~~ A computer-readable storage medium having comprising one or more instructions stored thereon that, if executed, result in:

scanning a smooth image region with a generally uniform brightness;
obtaining a standard brightness from the smooth image region; and
determining a calculated brightness for at least a portion of a second image region based at least in part on the standard brightness.

27. (Currently Amended) The computer-readable storage medium article of claim 26, wherein the second image region comprises at least a portion with a non-uniform brightness.

28. (Currently Amended) The computer-readable storage medium article of claim 26, wherein the scanning of the smooth image region with a uniform brightness is performed prior to scanning the second image region.

29. (Currently Amended) The computer-readable storage medium article of claim 26, wherein the scanning of the smooth image region with a uniform brightness is performed after scanning the second image region.

Claims 30-35. (Cancelled)

36. (Currently Amended) An apparatus, comprising:
means for scanning a smooth image region with a generally uniform brightness;
means for obtaining a standard brightness from the smooth image region; and

means for determining a calculated brightness for at least a portion of a second image region based at least in part on the standard brightness.

37. (Currently Amended) The apparatus of claim 36, means for determining of the calculated brightness for at least a portion of the second image region based at least in part on the standard brightness comprise means for determining of the calculated brightness for at least a portion of the second image region having wherein the second image region comprises at least a portion with a non-uniform brightness.

38. (Currently Amended) The apparatus of claim 36, wherein the means for scanning of the smooth image region with a uniform brightness comprise[[s]] means for scanning of the smooth image region with a uniform brightness prior to scanning the second image region.

39. (Currently Amended) The apparatus of claim 36, wherein the means for scanning of the smooth image region with a uniform brightness comprise[[s]] means for scanning of the smooth image region with a uniform brightness after scanning the second image region.

40. (New) A scanner, comprising:
a smooth image region with a generally uniform brightness;
a sensor capable of scanning the smooth image region with a generally uniform brightness;
wherein the scanner is capable of obtaining a standard brightness from the smooth image region; and
wherein the scanner is capable of determining a calculated brightness for at least a portion of a second image region based at least in part on the standard brightness.

41. (New) The scanner of claim 40, wherein the scanner is capable of determining the calculated brightness for at least a portion of the second image region having a non-uniform brightness.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.